



Project: _____
 Location: _____
 Cat.No: _____
 Type: _____
 Lamps: _____ Qty: _____
 Notes: _____

Ordering guide

Catalog No.	Finish
9030N PAR30 gimbal ring	WH Matte White BK Matte Black AL Aluminum

Lamping: 75W PAR30 maximum. Order separately.

Track: Mounting compatible with all Philips Lytespan Track Systems.

Descriptions

Minimal form specifically designed to create close fit with LED lamps, with cleanly miniaturized detailed yoke and ring-shaped lampholder. Front re-lamping for easy maintenance. Unit adjusts horizontally up to 350°, vertically up to 90°.

Features

- 1 Lytespan attachment fitting:** molded polycarbonate integral color fitter twists onto track and locks on.
- 2 Push tab:** molded polycarbonate, detaches unit
- 3 Yoke:** 3/4" x .05" steel
- 4 Tension spring washer**
- 5 Ring and socket cup:** molded polycarbonate
- 6 Moveable brass contact:** extends connection to 2nd circuit in Advent Lytespan Track
- 7 Polarity Keyway**

8 Pivot Mounting: tensioned 350° stop

Finish

Black and white finished in molded PBT. Aluminum finish in wet paint.

Material

PBT material to allow scratch free finish, more precise sizing to fit lamps, and miniaturized design.

Electrical

Porcelain socket, medium base, nickel-plated screw shell, no. 18 braided SF-1 leads with silicon sleeving.

Labels

cULus

Leadtime

All items are spec or service smart.

